



*Graphic
Liquid
Crystal
Display
Modules*

HITACHI




*Leading-edge technology
delivers excellent contrast, brightness,
speed, wide viewing angle and
an exceptionally compact profile*

Full VGA display format
26cm [10.4 inches]
shown actual size
[LMG7550XUFC]

Life-size

- High brightness CFL and Film-STN for increased performance
- Slim & lightweight construction
- Low power consumption

1/4 VGA display format
12cm [4.6 inches]
shown actual size
[LMG7520RPFC]



A n extensive range

RESOLUTION	PART NAME	DISPLAY TYPE	DISPLAY COLOUR	BACKLIGHT TYPE	MODULE DIMENSIONS H*W* (mm)
256*64	LMG6380QHGR	Reflective STN	Blue on Grey	None	160*68*9
	LMG6381QHGE	Transflective STN	Blue on Grey	EL	160*68*9.5
	LMG6382QHFR	Reflective FSTN	Black on Grey	None	160*68*9
	LMG6391QHGE	Transflective STN	Blue on Grey	EL	160*68*9
NEW	LMG7380QHFC	Transmissive FSTN	Black on White	CFL	160*68*11
240*128	LMG6400PLGR	Reflective STN	Blue on Grey	None	159.4*101*9.5
	LMG6401PLGE	Transflective STN	Blue on Grey	EL	159.4*101*9.5
	LMG6402PLFR	Reflective STN	Black on Grey	None	159.4*101*9.5
	LMG6411PLGR	Transflective STN	Blue on Grey	None	159.4*101*9
	LMG7400PLFC	Transmissive FSTN	Black on White	CFL	159.4*101*11
	LMG7401PLBC	Transmissive STN	Blue on White	CFL	159.4*101*11
	LMG7402PLFF	Transflective FSTN	Black on Grey	CFL	159.4*101*11
	LMG7412PLFF	Transflective FSTN	Black on Grey	CFL	159.4*101*11
	LMG7420PLFC-X	Transmissive FSTN	Black on White	CFL	159.4*101*11
	LMG7421PLBC	Transmissive STN	Blue on White	CFL	159.4*101*11
	LMG7422PLFF	Transflective FSTN	Black on Grey	CFL	159.4*101*11
320*240	LMG6910RPGR	Reflective STN	Blue on Grey	None	160*109*11
	LMG6911RPBC-00T	Transmissive STN	Blue on White	CFL	167.1*109*11
NEW	LMG6912RPFC-00T	Transmissive FSTN	Black on White	CFL	167.1*109*11
NEW	LMG7520RPFC	Transmissive FSTN	Black on White	CFL	129.6*92.6*7.5
NEW	LMG9520RPCC-A	Transmissive STN	Colour	CFL	160*120*8.5
480*128	LMG6251ULGE	Transflective STN	Blue on Grey	EL	270*110*11.5
640*480	LMG5320XUFC	Transmissive FSTN	Black on White	CFL	205*143*6.5
	LMG5278XUFC-00T	Transmissive FSTN	Black on White	CFL	257.5*174*7
NEW	LMG7550XUFC	Transmissive FSTN	Black on White	CFL	264*183*8.5



LMG5320XUFC

APPLICATIONS

- *Portable Equipment*
- *Feature Phones*
- *E.P.O.S.*
- *Instrumentation*
- *Security/Alarm Panels*
- *Office Automation*



of graphic STN Modules

VIEWSING AREA H*W (mm)	DOT SIZE H*W (mm) (O' CLOCK)	DOT PITCH H*W (mm)	DUTY RATIO	VIEWSING DIRECTION	CONTROLLER (SUITABLE)	PART NAME
126.3*37.0	0.44*0.44	0.47*0.47	64	6	HD61830	LMG6380QHGR
126.3*37.0	0.44*0.44	0.47*0.47	64	6	HD61830	LMG6381QHGE
126.3*37.0	0.44*0.44	0.47*0.47	64	6	HD61830	LMG6382QHFR
126.3*37.0	0.44*0.44	0.47*0.47	64	6	(HD61830, T6963C)	LMG6391QHGE
124*34	0.44*0.44	0.47*0.47	64	6	T6963C	LMG7380QHFC
126*71	0.47*0.47	0.50*0.50	128	6	HD61830B	LMG6400PLGR
126*71	0.47*0.47	0.50*0.50	128	6	HD61830B	LMG6401PLGE
126*71	0.47*0.47	0.50*0.50	128	6	HD61830B	LMG6402PLFR
126*71	0.47*0.47	0.50*0.50	128	6	(HD61830B, T6963C)	LMG6411PLGR
126*71	0.47*0.47	0.50*0.50	128	6	HD61830B	LMG7400PLFC
126*71	0.47*0.47	0.50*0.50	128	6	HD61830B	LMG7401PLBC
126*71	0.47*0.47	0.50*0.50	128	6	HD61830B	LMG7402PLFF
126*71	0.47*0.47	0.50*0.50	128	6	(HD61830B)	LMG7412PLFF
126*71	0.47*0.47	0.50*0.50	128	6	T6963C	LMG7420PLFC-X
126*71	0.47*0.47	0.50*0.50	128	6	T6963C	LMG7421PLBC
126*71	0.47*0.47	0.50*0.50	128	6	T6963C	LMG7422PLFF
120*90	0.33*0.33	0.36*0.36	240	6	(4 Bit Type)	LMG6910RPGR
120*90	0.33*0.33	0.36*0.36	240	6	(4 Bit Type)	LMG6911RPBC-00T
120*90	0.33*0.33	0.36*0.36	240	6	4 Bit Type)	LMG6912RPFC-00T
100*75.5	0.285*0.285	0.30*0.30	240	6	(4 Bit Type)	LMG7520RPFC
120*90	0.11*(3)*0.34	0.12*(3)*0.36	240	6	(4 Bit Type)	LMG9520RPCC-A
242*69	0.45*0.45	0.48*0.48	128	6	(4 Bit Type)	LMG6251ULGE
151.2*114.4	0.21*0.21	0.23*0.23	242	12	(4 Bit Type Dual Scan)	LMG5320XUFC
200*152	0.27*0.27	0.30*0.30	242	12	(4 Bit Type Dual Scan)	LMG5278XUFC-00T
215.2*162.4	0.3*0.3	0.33*0.33	242	12	(4 Bit Type Dual Scan)	LMG7550XUFC

...and a colour version too!




LMG6912RPFC-00T



LMG9520 RPCC-A

MAJOR BENEFITS

- **EXCELLENT CONTRAST**
High contrast film black & white supporting multi grey level images
- **THIN, LIGHTWEIGHT DESIGN**
Low profile CFL backlight and TCP structure for low thickness and weight
- **WIDE VIEWING ANGLE**
Image is clearly visible over a wider range of viewing directions.
- **FAST RESPONSE TIME**
High-speed response under 300ms capable of supporting animated graphics
- **EASY TO INTERFACE**
Several modules available with built-in controller for direct interface to a microcontroller
- **HIGH BRIGHTNESS**
Slim, high efficiency CFL lamp and lightguide
- **LONG LIFE BACKLIGHT**
Due to the application of a Cold Cathode Fluorescent Lamp (CFL) the backlight has a longer life
- **SUPERB RELIABILITY**
Backed by rigorous control procedures, life testing, environmental and mechanical tests.



SALES OFFICES

Hitachi Europe Ltd
Electronics Components Group
(Northern Group)

Headquarters:

Whitebrook Park
Lower Cookham Road,
Maidenhead, Berkshire SL6 8YA
Tel: (Local) (01628) 585000
(INT) 44-1628 585000
Fax: (Local) (01628) 585100
(INT) 44-1628 585160

Sales Offices:

Denmark
Egebaekvej 98, 2850 Naerum
Tel: (45) 45 80 77 11
Fax: (45) 45 80 77 54

Finland
Tap House Tapiolan Keskustorni 11 KRS
02100 Espoo Helsinki
Tel: (358) 0455 2488
Fax: (358) 0455 2152

Norway
P.O. Box 153, Østre Strandvei 4B, 3482
Tofte
Tel: (47) 32 79 1 11
Fax: (47) 32 79 52 30

Sweden
Box 1062, S-16421 Kista
Stockholm
Tel: (46) 87 51 00 35
Fax: (46) 87 51 50 73

Eire
Ellenborough House
Dublin Raod
Naas, Co. Kildare Ireland
Tel: + 35 34 57 11 90
Fax: + 35 34 57 11 89

France
Hitachi Europe (France) S.A.
18, rue Grange Dame Rose, B.P. 134
78148 Veliz Cedex France
Tel: (00 33) 1 34 63 05 00
Fax: (00 33) 1 34 65 34 31

Hitachi Europe GmbH
Electronics Components Group
Continental Europe

Dornacher Str. 3; D-85622 Feldkirchen
Postfach 2 01; D-85619 Feldkirchen
Tel: (Local) (089) 99 180-0
(INT) 49-89 99 180
Fax: (Local) (089) 929 30 00
(INT) 49-89 929 30 00

Sales Offices:

North Germany/Benelux
Am Seestern 18; D40547 Düsseldorf
Postfach 11 05 36; D-40505 Düsseldorf
Tel: (02 11) 52 83-0
Fax: (02 11) 52 83-7 79

Central Germany
Friedrich-List-Str. 42
D-70771 Leinfelden-Echterdingen
Tel: (0711) 99085-5
Fax: (0711) 99085-99

South Germany/Austria
Dornacher Str. 3; D-85622 Feldkirchen
Tel: (089 9) 9 180
Fax: (089 9) 9180-266

Italy
Via Tommaso Gulli, 39 1-20147, Milano
Tel: + 39 2 48 7861
Fax: +39 2 48 78 63 91

Via F.D'Ovidio, 1-00135 Roma
Tel: +39 (6) 82 00 18 24
Fax: +39 (6) 82 00 18 25

South Africa
7th Floor, Nedbank Gardens,
33 Bath Avenue,
S. Africa-Rosebank 2196 (jb)
Tel: (+27) 11 442980
Fax: (+27) 11 4429745

Spain
c/Bunganvilla, 5:E-28036 Madrid
Tel: (00 34-1) 67 27 82, - 92
Fax: (00 34-1) 3 83 85 11

Nissei Sangyo GmbH*

Nissei Sangyo GmbH (Deutschland)
Germany
Dornacher Str. 3e
D-85622 Feldkirchen
Tel: (local) (089) 99 130-0
(INT) 49-89 99 130-0
Fax: (089) 929 11 85
(INT) 49-89 929 11 85

Frienrichstr. 95; Intern. Handelszentrum
D-10117 Berlin
Tel: (030 2) 6 43 -16 60
Fax: (030 2) 6 43 - 16 65


Hungary
East-West Business Center;
Rákóczi út 1-3
H-1088 Budapest
Tel: (00 36 -1) 2 66 66 58
Fax: (00 36 - 1) 2 66 49 27

Spain
Gran Via Carlos III, 101 1º,
E-08028 Barcelona
Tel: (00 34) 34 90 - 78 01
Fax: (00 34) 33 39 - 78 39

Nissei Sangyo France S.A.R.L.* France
Immeuble Ariene;
18 rue Grange Dame Rose
F-78140 Velizy Cedex
Tel: (00 33) 1 30 70 69 70
Fax: (00 33) 1 34 65 77 28

Nissei Sangyo Co. Ltd*, United, Kingdom
Whitebrook Park, Lower Cookham Road,
Maidenhead, Berkshire SL6 8YA
Tel: (Local) (01628) 585000
(INT) 44-1628 585000
Fax: (Local) (01628) 585160
(INT) (44-1628 585160

***Nissei Sangyo GmbH, Nissei Sangyo**
France S.A.R.L. and Nissei Sangyo Co. Ltd
are subsidiaries of Hitachi



HITACHI

The vital component