

**EN** - For pricing and availability in your local country please visit one of the below links:

**DE** - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

**FR** - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[893-5/4](#)

**EN**

This Datasheet is presented by  
the manufacturer

**DE**

Dieses Datenblatt wird vom  
Hersteller bereitgestellt

**FR**

Cette fiche technique est  
présentée par le fabricant

**Consolidated Electronic Wire & Cable**

11044 King St.

Franklin Park, Illinois 60131

**Toll Free:** 800-621-4278 & #8226 **Phone:** 847-455-8830 • **Fax:** 847-455-8837**Email:** info@conwire.com • **Website:** www.conwire.com

---

**Part # 893, 10 AWG Stranded Tinned Copper Wire UL Style 1015 VW-1 105°C 600 Volts CSA TEW 105°C, Consolidated Hook Up Wire**

---

**10 AWG Stranded Tinned Copper Wire UL Style 1015 VW-1 105°C 600 Volts CSA TEW 105°C, Consolidated Hook Up Wire****Product Construction****Conductor:**

- 10 AWG Stranded Wire
- Stranded Tinned Copper Wire Conductor per ASTM B-33

**Insulation:**

- Color coded PVC insulation
- Temperature -40°C to +105°C
- Voltage: 600 Volts

**Applications:**

- Hook-Up wire
- Appliance wiring
- Point to point wiring
- Internal wiring of meters, panels, electrical and electronic equipment

**Industry Approvals:**

- UL style 1015
- CSA - TEW 105°C
- Passes UL VW-1 flame test
- RoHS Compliant
- OSHA acceptable

**Packaging:**

- 1000 ft spools
- 100 ft. spools
- Also available on bulk reels

---

· [SPECIFICATIONS](#) · [OTHER INFORMATION](#) · [DISCLAIMER](#)

---

**SPECIFICATIONS**

Gauge	10 AWG
Strands	105 x 30 Tin Copper Wire
Nominal Insulation Wall	0.030 in.
Insulation Type	PVC
Nominal O.D.	0.180 in.
UL Style	1015

Color	0-Black/1-Brown/2-Red/3-Orange/4-Yellow/5-Green/6-Blue/7-Violet/8-Gray/9-White
Color Code Chart	Chart-Hook-Up Wire
Insulation Temperature	-40 to +105 °C
Voltage	600 V

## OTHER INFORMATION

Approvals	CSA TEW 105°C RoHS UL 1015 VW-1
-----------	--

## DISCLAIMER

Terms and Conditions for the Consolidated Electronic Wire and Cable Website:

Consolidated has made a very reasonable effort to ensure the accuracy of this "website" pertaining to the information, specifications and the "search" accuracy. The "website" is subject to errors and omissions. The content is subject to change without notice. This "website" is being constantly updated to correct any errors and omissions, but this does not ensure it is completely accurate. Drawings are for general reference only. Consolidated Electronic Wire & Cable is not liable for any direct, indirect, incidental or consequential damages resulting from the use of the material from this "website".

**EN** - For pricing and availability in your local country please visit one of the below links:

**DE** - Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:

**FR** - Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

[893-5/4](#)

**EN**

This Datasheet is presented by  
the manufacturer

**DE**

Dieses Datenblatt wird vom  
Hersteller bereitgestellt

**FR**

Cette fiche technique est  
présentée par le fabricant